

Universe	Professional
Type	Verticality
Category	Helmets
Subcategory	Comfortable helmets




## VERTEX® VENT

The VERTEX VENT helmet is very comfortable, thanks to its six-point textile suspension and CENTERFIT and FLIP&FIT systems, which guarantee that the helmet fits securely on the head. The adjustable-strength chinstrap makes it ideal for both work at height and on the ground. It has ventilation holes with sliding shutters to allow airflow through the helmet. With its potential for integration of a Petzl headlamp, hearing protection, and multiple accessories, it is an entirely modular helmet, thus responding to the specific additional needs of professionals.



The six-point webbing suspension system adapts to the shape of your head to provide maximum comfort.



The CENTERFIT feature allows perfect centering of the helmet on the head, thanks to its two side adjustment wheels.



It has ventilation holes with sliding shutters to allow the ventilation to be adjusted as needed.



With its potential for integration of a Petzl headlamp, hearing protection, and multiple accessories, it is an entirely modular helmet, thus responding to the specific additional needs of professionals.

---

<b>Short Description</b>	Comfortable ventilated helmet
--------------------------	-------------------------------

---

<b>Selling Points</b>	<ul style="list-style-type: none"><li>• Very comfortable:</li><li>- six-point textile suspension conforms perfectly to the shape of the head</li><li>- CENTERFIT feature allows perfect centering of the helmet on the head, thanks to its two side adjustment wheels</li><li>- FLIP&amp;FIT system allows the headband to be positioned in a low position, guaranteeing that the helmet fits securely on the head. The system folds into the shell for easy storage and transportation</li><li>- comes with interchangeable standard comfort foam</li><li>• Protection designed for work at height and on the ground:</li><li>- DUAL chinstrap allows the worker to adjust chinstrap strength in order to adapt the helmet to different environments: work at height (EN 12492) or on the ground (EN 397). The clip has two positions, corresponding to these two uses: high strength, limiting the risk of losing the helmet during a fall, and low strength, limiting the risk of strangulation if the helmet is snagged while the user is on the ground</li><li>- shock absorption achieved through deformation of the outer shell</li><li>- vent holes with sliding shutters allow the ventilation to be adjusted as needed, while wearing the helmet</li><li>• Modular accessories:</li><li>- eye shield with EASYCLIP side attachment system for easy installation</li><li>- Petzl headlamp with mounts, or headlamp with elastic headband</li><li>- helmet protector keeps the shell free from soiling and paint splash</li><li>- nape protector provides effective sun and rain protection for the nape of the neck</li><li>- nametag holder allows user to be easily identified</li><li>- changeable chinstrap and foam</li><li>- hearing protection</li><li>- available in seven colors: white, yellow, red, black, orange, blue and green</li><li>- also comes in two high-visibility versions: yellow and orange</li></ul>
-----------------------	---

---

<b>Specification</b>	<ul style="list-style-type: none"><li>• Head circumference: 53-63cm</li><li>• Weight: 485g</li><li>• Material(s): ABS (acrylonitrile butadiene styrene), nylon, polycarbonate, high-strength polyester, polyethylene</li><li>• Certification(s): CE, EN 397, EN 12492, ANSI Z89.1 Type I Class C, EAC</li></ul>
----------------------	---

---

Specifications by reference

Reference(s)	A010CA00	A010CA01	A010CA02	A010CA03
				
Color(s)	white	yellow	red	black
Made in	FR	FR	FR	FR
Guarantee	3 years	3 years	3 years	3 years
Packing	1	1	1	1
Case quantity	8	8	8	8
EAN	3342540827325	3342540827332	3342540827349	3342540827356

Reference(s)	A010CA04	A010CA05	A010CA06	
				
Color(s)	orange	blue	green	
Made in	FR	FR	FR	
Guarantee	3 years	3 years	3 years	
Packing	1	1	1	
Case quantity	8	8	8	
EAN	3342540827363	3342540827370	3342540827387	